Benefits

Safe and healthy

Antimicrobial protective treatment to inhibit the growth of mold and mildew

Phthalates Free products meaning that they will not affect your quality of life FloorScore® Certified for compliance with rigorous indoor air quality requirements E1 Certified meaning that the product meets the European standard for indoor air quality

Performant and durable construction Commercial abrasion resistance

BLC Certified $\ensuremath{\mathfrak{B}}$ - Ensures that the floor covering you're buying surpasses industry quality standards

Easy maintenance 100% Waterproof

Antimicrobial, anti-mold and anti-fungal

Easy to clean

Stain resistant, including pet stains

Easy and versatile Installation Compatible with embedded radiant heating

Glued installation for a permanent and sturdy setup

Herringbone installation possible

Can be installed on all floor levels, even on walls

Coordinating moldings available

Notable look Mat finish

Mix and match colors for a bold look

Best-in-class Warranty No Questions Asked Replacement

Quickship Stock product for faster delivery

Single Bulletin page 1 of 4

Product Specifications

Market Segments Builder, Hospitality, Pro, Property

Management, Residential, Senior

Living, Workspace

Sub Category LVP

CollectionSeaside NatureStyle NameBeringStyle Number2351

ConstructionLuxury VinylFormatPlank

Abrasion Resistance General Commercial Use

 Material
 Virgin PVC

 Width
 7.362" (187 mm)

 Total Thickness
 0.118" (3 mm)

 Wear Layer Thickness
 0.0220" (0.5500 mm)

InterlayerNoneBackingDry Back

Edges 4-Sided Micro Bevel

Locking System None

Finish Registered Embossed

Top Surface UV-Cured Polyurethane & Ceramic

Bead Technology

GlossMatPattern Repeat5IIC62STC68DesignWoodFormaldehydeE1

Length 48.307" (1227 mm)

Certifications FloorScore, E1 Certified, Phthalates

Free, BLC Certification, QuickShip,

GreenGuard Gold Certified

Installation Methods Compatible with embedded radiant

heating, Glued

Luxury Vinyl Installation Guide

(DryBack)

Wall Installation Guide - Luxury

Vinyl



Warranties

☑ Luxury Vinyl Warranty Guide

Luxury Vinyl Care & Maintenance Guide

Residential use Fade Lifetime

Wear *Lifetime*Stain *Lifetime*

Manufacturing Defects

Lifetime

No Questions Asked

Replacement Mininum 30 days

Waterproof *Lifetime*Petproof *Lifetime*

Commercial use Wear 15 Years

Stain 15 Years

Manufacturing Defects 15

Years

Fade 15 Years
Waterproof Lifetime
Petproof Lifetime



Single Bulletin page 2 of 4

Packaging information

Units Per Box 14 Boxes Per Pallet 55

Box Weight 38.38 pounds (17410.58 grams)

Square Meters Per Box3.21Square Meters Per Pallet176.69Square Feet Per Box34.58Square Feet Per Pallet1901.9

Moldings





PVC Stair Nose Multitrim

Coordinating Coordinating
94" X 1.16" X 2" 94" X 0.23" X

(2350 mm X 25.4 mm X 50.80 mm) (2350 mm X 5.842 mm X)

Single Bulletin page 3 of 4

Accessories



701 Luxury Vinyl Adhesive - 4 U.S. Gallons

Porous Coverage

Up to 300 sq.ft. / gal (Up to 28 m^2 / gal)

- ☑ Label 701 Vinyl Flooring Adhesive
- ☑ Specifications 701 Vinyl Flooring Adhesive
- ☑ SDS 701 Vinyl Flooring Adhesive



Single Bulletin page 4 of 4