

Bering 2351

Luxury Vinyl • Seaside Nature

Benefits

Safe and healthy

Antimicrobial protective treatment to inhibit the growth of mold and mildew
Phthalates Free products meaning that they will not affect your quality of life
FloorScore® Certified for compliance with rigorous indoor air quality requirements
E1 Certified meaning that the product meets the European standard for indoor air quality

Performant and durable construction

Commercial abrasion resistance
BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards

Easy maintenance

100% Waterproof
Antimicrobial, anti-mold and anti-fungal
Easy to clean
Stain resistant, including pet stains

Easy and versatile Installation

Compatible with embedded radiant heating
Glued installation for a permanent and sturdy setup
Herringbone installation possible
Can be installed on all floor levels, even on walls
Coordinating moldings available

Notable look

Mat finish
Mix and match colors for a bold look

Best-in-class Warranty

No Questions Asked Replacement

Quickship

Stock product for faster delivery

Bering 2351

Luxury Vinyl • Seaside Nature

Product Specifications

| | |
|-----------------------------|--|
| Market Segments | Builder, Hospitality, Pro, Property Management, Residential, Senior Living, Workspace |
| Sub Category | LVP |
| Collection | Seaside Nature |
| Style Name | Bering |
| Style Number | 2351 |
| Construction | Luxury Vinyl |
| Format | Plank |
| Abrasion Resistance | General Commercial Use |
| Material | Virgin PVC |
| Width | 7.362" (187 mm) |
| Total Thickness | 0.118" (3 mm) |
| Wear Layer Thickness | 0.0220" (0.5500 mm) |
| Interlayer | None |
| Backing | Dry Back |
| Edges | 4-Sided Micro Bevel |
| Locking System | None |
| Finish | Registered Embossed |
| Top Surface | UV-Cured Polyurethane & Ceramic Bead Technology |
| Gloss | Mat |
| Pattern Repeat | 5 |
| IIC | 62 |
| STC | 68 |
| Design | Wood |
| Formaldehyde | E1 |
| Length | 48.307" (1227 mm) |
| Certifications | FloorScore, E1 Certified, Phthalates Free, BLC Certification, QuickShip, GreenGuard Gold Certified |
| Installation Methods | Compatible with embedded radiant heating, Glued Luxury Vinyl Installation Guide (DryBack) Wall Installation Guide - Luxury Vinyl |



Warranties

- [Luxury Vinyl Warranty Guide](#)
- [Luxury Vinyl Care & Maintenance Guide](#)

| | |
|------------------------|---|
| Residential use | <i>Fade Lifetime</i> <i>Wear Lifetime</i> <i>Stain Lifetime</i> Manufacturing Defects <i>Lifetime</i> No Questions Asked Replacement <i>Minimum 30 days</i> <i>Waterproof Lifetime</i> <i>Petproof Lifetime</i> |
| Commercial use | <i>Wear 15 Years</i> <i>Stain 15 Years</i> Manufacturing Defects <i>15 Years</i> <i>Fade 15 Years</i> <i>Waterproof Lifetime</i> <i>Petproof Lifetime</i> |

Bering 2351

Luxury Vinyl • Seaside Nature

Packaging information

| | |
|---------------------------------|-------------------------------|
| Units Per Box | 14 |
| Boxes Per Pallet | 55 |
| Box Weight | 38.38 pounds (17410.58 grams) |
| Square Meters Per Box | 3.21 |
| Square Meters Per Pallet | 176.69 |
| Square Feet Per Box | 34.58 |
| Square Feet Per Pallet | 1901.9 |

Moldings



PVC Stair Nose

Coordinating

94" X 1.16" X 2"

(2388 mm X 25.4 mm X 50.80 mm)



Multitrim

Coordinating

94" X 0.23" X

(2388 mm X 5.842 mm X)

Bering 2351

Luxury Vinyl • Seaside Nature

Accessories



701 Luxury Vinyl Adhesive - 4 U.S. Gallons

Porous Coverage

Up to 300 sq.ft. / gal (Up to 28 m² / gal)

[Label - 701 Vinyl Flooring Adhesive](#)

[Specifications - 701 Vinyl Flooring Adhesive](#)

[SDS - 701 Vinyl Flooring Adhesive](#)